

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/26/2020 Revision date: 10/22/2024 Supersedes version of: 1/10/2024 Version: 4.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : POLARIS - Active Foam UFI : XSPK-9QN1-W105-F5CP

Product code : 115555631 Product group Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Intended for general public

Main use category · Consumer use

Use of the substance/mixture : Exterior cleaning products - all vehicle types

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Brands Alliance s.r.o. Ltd

Pri Šajbách 1

SK 831 06 Bratislava

T +421244871700

msds@brandsalliance.eu, www.brandsalliance.eu

#### 1.4. Emergency telephone number

No additional information available

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1 H318 Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

Signal word (CLP)

Contains : Sodium lauriminodipropionate; Coco-glucoside; Sodium laureth sulfate; Lauramine Oxide

Hazard statements (CLP) : H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

> P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear eye protection, protective gloves.

10/22/2024 (Revision date) EN (English) 1/15

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Trilon(R) M	CAS-No.: 164462-16-2 EC-No.: 423-270-5	1 – 5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium lauriminodipropionate	CAS-No.: 14960-06-6 EC-No.: 239-032-7	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318
Coco-glucoside	CAS-No.: 110615-47-9	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318
Sodium laureth sulfate	CAS-No.: 68891-38-3 EC-No.: 500-234-8	1 – 5	Acute Tox. 4 (Dermal), H312 STOT RE 2, H373 Aquatic Chronic 2, H411
Lauramine Oxide	CAS-No.: 1643-20-5 EC-No.: 216-700-6	1 – 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Citric acid substance with national workplace exposure limit(s) (DE)	CAS-No.: 77-92-9 EC-No.: 201-069-1 EC Index-No.: 607-750-00-3	0.5 – 1	Eye Irrit. 2, H319
Sodium hydroxide substance with national workplace exposure limit(s) (GB, PL, SK)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6	0.5 – 1	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium chloride	CAS-No.: 7647-14-5 EC-No.: 231-598-3	0.1 – 0.5	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
Butanedione substance with national workplace exposure limit(s) (DE, GB, NL, PL, SK)	CAS-No.: 431-03-8 EC-No.: 207-069-8	< 0.1	Not classified

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Coco-glucoside	CAS-No.: 110615-47-9	(12 < C ≤ 30) Eye Dam. 1; H318 (30 < C < 100) Skin Irrit. 2; H315 (30 < C < 100) Eye Dam. 1; H318
Sodium laureth sulfate	CAS-No.: 68891-38-3 EC-No.: 500-234-8	(5 ≤ C < 10) Eye Irrit. 2; H319 (10 ≤ C < 100) Eye Dam. 1; H318
Sodium hydroxide	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6	(0.5 ≤ C < 2) Skin Irrit. 2; H315 (0.5 ≤ C < 2) Eye Irrit. 2; H319 (2 ≤ C < 5) Skin Corr. 1B; H314 (5 ≤ C ≤ 100) Skin Corr. 1A; H314

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Serious damage to eyes. Symptoms/effects after ingestion : None under normal conditions.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment. **Emergency procedures** 

: Ventilate spillage area. Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

**Emergency procedures** : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry

into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures Keep in a cool, well-ventilated place away from heat.

Storage conditions Keep cool. Protect from sunlight.

Packaging materials Store always product in container of same material as original container.

#### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

#### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

10/22/2024 (Revision date) EN (English) 4/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Personal protection equipment

## Personal protective equipment:

Safety glasses.

#### Personal protective equipment symbol(s):







#### Eye and face protection

#### Eye protection:

Safety glasses

#### **Skin protection**

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Chloroprene rubber (CR)	6 (> 480 minutes)	0,4-0,7		EN ISO 374, EN ISO 374-1, EN 374-2

#### **Respiratory protection**

#### Respiratory protection:

Relative density

In case of insufficient ventilation, wear suitable respiratory equipment

## **Environmental exposure controls**

#### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour dark red. Appearance Liquid. Odour Fruity. Odour threshold Not available Melting point Not available : < -20 °C Freezing point Boiling point : Not available Flammability Non flammable. Lower explosion limit : Not available Upper explosion limit Not available Flash point : Not available Auto-ignition temperature Not available Decomposition temperature : Not available рΗ : ≈ 7.5 Viscosity, kinematic : Not available Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available

: Not available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

ricute textory (mindiation)	
Citric acid (77-92-9)	
LD50 oral rat	3000 mg/kg Source: OECD Screening Information Data Set
LD50 oral	5400 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 4500 - 6400
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Sodium hydroxide (1310-73-2)	
LD50 oral rat	140 – 340 mg/kg Source: ECHA
LD50 dermal rabbit	1350 mg/kg Source: HSDB
Sodium lauriminodipropionate (14960-06-6)	
LD50 oral rat	31300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
Coco-glucoside (110615-47-9)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium laureth sulfate (68891-38-3)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	≥ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Sodium chloride (7647-14-5)	
LD50 oral rat	3000 mg/kg Source: International Uniform Chemical Information Database
LD50 dermal rabbit	> 10000 mg/kg bodyweight Animal: rabbit
LC50 Inhalation - Rat (Dust/Mist)	> 10.5 mg/l Source: Corporate Solution From Thomson Micromedex
Lauramine Oxide (1643-20-5)	
LD50 oral	1267 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
Butanedione (431-03-8)	
LD50 oral rat	1580 mg/kg
LD50 oral	3000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat (Vapours)	7.92 mg/l/4h
Trilon(R) M (164462-16-2)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 (Acute Toxicity (Oral))
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 4.25 mg/l Source: ECHA
Skin corrosion/irritation	: Causes skin irritation. pH: ≈ 7.5
Sodium hydroxide (1310-73-2)	
рН	1.5 Source: HSDB
Sodium chloride (7647-14-5)	
pH	6.7 Source: The Chemical Database, The Department of Chemistry at the University of Akron
Serious eye damage/irritation	: Causes serious eye damage. pH: ≈ 7.5
Sodium hydroxide (1310-73-2)	
pH	1.5 Source: HSDB
Sodium chloride (7647-14-5)	
рН	6.7 Source: The Chemical Database, The Department of Chemistry at the University of Akron
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity Carcinogenicity	: Not classified

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Trilon(R) M (164462-16-2)	
NOAEL (chronic, oral, animal/male, 2 years)	262.2 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: carcinogenicity (migrated information)
NOAEL (chronic, oral, animal/female, 2 years)	333.9 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: carcinogenicity (migrated information)
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Citric acid (77-92-9)	
LOAEL (oral, rat, 90 days)	8000 mg/kg bodyweight Animal: rat
NOAEL (oral, rat, 90 days)	4000 mg/kg bodyweight Animal: rat
Sodium lauriminodipropionate (14960-06-6)	
NOAEL (oral, rat, 90 days)	160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:EPA OPPTS 870.3650, July 2000
Coco-glucoside (110615-47-9)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Sodium laureth sulfate (68891-38-3)	
LOAEL (oral, rat, 90 days)	25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	> 225 mg/kg bodyweight/day Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Lauramine Oxide (1643-20-5)	
NOAEL (oral, rat, 90 days)	40 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:OPPTS 870.3650
Aspiration hazard	: Not classified
Sodium chloride (7647-14-5)	
Viscosity, kinematic	Not applicable
Trilon(R) M (164462-16-2)	
Viscosity, kinematic	Not applicable
14.2 Information on other hazarda	

# 11.2. Information on other hazards

No additional information available

# SECTION 12: Ecological information

# 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long–term : Toxic to aquatic life with long lasting effects.

(chronic)

10/22/2024 (Revision date) EN (English) 8/15

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LC50 - Fish [1] 48 mg/l Source: ECGTOX  EC50 - Other aquatic organisms [1] > 50 mg/l Test organisms (species): other aquatic crustacea:  Sodium hydroxide (1310-73-2)  LC50 - Fish [1] 125 mg/l  EC50 - Crustacea [1] 40 4 mg/l Test organisms (species): Ceriodaphnia sp.  Sodium lauriminodiproplonate (14980-96-8)  LC50 - Fish [1] 4.2 mg/l Test organisms (species): Oncorfynchus mykiss (previous name: Salmo gairdneri)  LC50 - Fish [2] - 4.2 mg/l Test organisms (species): Oncorfynchus mykiss (previous name: Salmo gairdneri)  EC50 - Crustacea [1] 5.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 1.71 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 1.71 mg/l Test organisms (species): Daphnia magna  EC50 98h - Algae [1] 870.985 mg/l Source: EPISUITE  NOEC (chronic) 1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Coco-glucoside (110616-47-9)  LC50 - Fish [1] 2.95 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Coco-glucoside (110616-47-9)  LC50 - Fish [2] 5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Coco-glucoside (10616-47-9)  LC50 - Fish [2] 5.9 mg/l Test organisms (species): Danior terio (previous name: Brachydanio rerio)  EC50 - Crustacea [2] 1 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 1 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 1 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 1.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 1.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 1.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organism	Citric acid (77-92-9)	
Sodium hydroxide (1310-73-2)  LCS0 - Fish [1] 125 mg/l  ECS0 - Crustacea [1] 40.4 mg/l Test organisms (species): Ceriodaphnia sp.  Sodium lauriminodipropionate (14960-96-6)  LCS0 - Fish [1] 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)  LCS0 - Fish [2] -4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)  ECS0 - Crustacea [1] 5.7 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 1.71 mg/l Test organisms (species): Daphnia magna  ECS0 72h - Algae [1] 31 mg/l Test organisms (species): Chlorella vulgaris  ECS0 96h - Algae [1] 870.085 mg/l Source: EPISUITE  NOEC (chronic) 1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Cocco-glucoside (110615-47-9)  LCS0 - Fish [2] 5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Cocco-glucoside (110615-47-9)  LCS0 - Fish [2] 5.9 mg/l Test organisms (species): Danior rerio (previous name: Brachydanio rerio)  ECS0 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 14 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 15 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3)  LCS0 - Fish [1] 7.1 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  ECS0 - Crustacea [2] 27 mg/l Test organisms (species): Daphnia magna  E	LC50 - Fish [1]	48 mg/l Source: ECOTOX
LC50 - Fish [1] 125 mg/l EC50 - Crustacea [1] 40.4 mg/l Test organisms (species): Ceriodaphnia sp.  Sodium lauriminodipropionate (14960-06-6) LC50 - Fish [1] 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) LC50 - Fish [2] 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) EC50 - Crustacea [1] 5.7 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 1.71 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 1.71 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 1.71 mg/l Test organisms (species): Daphnia magna EC50 - Salmo [1] 870 085 mg/l Source: EPISUITE NOEC (chronic) 1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Cccc-glucoside (110615-47-9) LC50 - Fish [1] 2.95 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Cccc-glucoside (110615-47-9) LC50 - Fish [2] 5.9 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 1.4 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 1.2 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 1.2 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 1.2 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 7.1 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 2.2 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 2.2 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 2.2 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 2.2 mg/l T	EC50 - Other aquatic organisms [1]	> 50 mg/l Test organisms (species): other aquatic crustacea:
Sodium lauriminodipropionate (14960-06-6)   LC50 - Fish [1]	Sodium hydroxide (1310-73-2)	
Sodium lauriminodipropionate (14960-06-6)  LC50 - Fish [1] 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo garidneri)  LC50 - Fish [2] 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo garidneri)  LC50 - Fish [2] 5.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [7] 5.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [8] 1.7 ing/l Test organisms (species): Daphnia magna  EC50 - Test - Algae [1] 3.1 mg/l Test organisms (species): Daphnia magna  EC50 98h - Algae [1] 870.085 mg/l Source: EPISUTE  NOEC (chronic) 1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Coco-glucoside (110615-47-9)  LC50 - Fish [1] 2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 1.2.5 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3)  LC50 - Fish [1] 7.1 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 2.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 2.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 2.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 2.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 2.7 mg/l Test organisms (species): Daphnia magna  EC50 - Fish [1] 5.840 mg/l Test organisms (species): Daphnia magna  EC50 -	LC50 - Fish [1]	125 mg/l
LC50 - Fish [1] 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)  LC50 - Fish [2] *4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)  EC50 - Crustacea [1] 5.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 1.71 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 1.71 mg/l Test organisms (species): Daphnia magna  EC50 - Salmo - Algae [1] 870.085 mg/l Source: EPISUITE  EC50 96h - Algae [1] 870.085 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Cocc-glucoside (110615-47-9)  LC50 - Fish [1] 2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 14 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 14 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1] 7.1 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 2.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 2.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 2.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 2.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  EC50 - Fish [1] 5840	EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.
LC50 - Fish [2] = 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)  EC50 - Crustacea [1] 5.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 1.71 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1] 31 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1] 870.085 mg/l Source: EPISUITE  NOEC (chronic) 1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Coco-glucoside (110615-47-9)  LC50 - Fish [1] 2.95 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Coco-glucoside (110615-47-9)  LC50 - Fish [2] 5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  LC50 - Fish [2] 5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 14 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 12.5 mg/l Source: ECHA  Sodum laureth sulfate (68891-38-3)  LC50 - Fish [1] 7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7.7 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 2.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 2.7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 2.7 mg/l Test organisms (species): Daphnia magna  EC50 - Fish [1] 5840 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC (chronic) 411 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 441 mg/l Test organisms (species): Daphnia pu	Sodium lauriminodipropionate (14960-06-6)	
gairdneri)  EC50 - Crustacea [1]  EC50 - Crustacea [2]  1.71 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  1.71 mg/l Test organisms (species): Chlorella vulgaris  EC50 98h - Algae [1]  870.085 mg/l Source: EPISUITE  NOEC (chronic)  1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Coco-glucoside (110615-47-9)  LC50 - Fish [1]  2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  LC50 - Fish [2]  5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1]  7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  14 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  14 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  15.5 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3)  LC50 - Fish [1]  7.1 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1]  7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1]  7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  7.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [1]  27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [2]  27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [2]  27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [1]  Algae [1]  Algae [1]  Algae [1]  B840 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Algae [1]	LC50 - Fish [1]	
EC50 - Crustacea [2] 1.71 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1] 31 mg/l Test organisms (species): Chlorella vulgaris  EC50 96h - Algae [1] 870.085 mg/l Source: EPISUITE  NOEC (chronic) 1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Coco-glucoside (110615-47-9)  LC50 - Fish [1] 2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  LC50 - Fish [2] 5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 14 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1] 2.5 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3)  LC50 - Fish [1] 7.1 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1] 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [2] 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [2] 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 - Fish [1] 5840 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1] 5840 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 411 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'	LC50 - Fish [2]	
EC50 72h - Algae [1] 31 mg/l Test organisms (species): Chlorella vulgaris EC50 96h - Algae [1] 870.085 mg/l Source: EPISUITE NOEC (chronic) 1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Coco-glucoside (110615-47-9) LC50 - Fish [1] 2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) LC50 - Fish [2] 5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 14 mg/l Test organisms (species): Daphnia magna EC50 - Test - Algae [1] 12.5 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3) LC50 - Fish [1] 7.1 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 7.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [1] 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic) 0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish 0.14 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC horicie (7647-14-5)  LC50 - Fish [1] 5840 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC (chronic) 441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'	EC50 - Crustacea [1]	5.7 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1] 870.885 mg/l Source: EPISUITE  NOEC (chronic) 1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Coco-glucoside (110615-47-9)  LC50 - Fish [1] 2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  LC50 - Fish [2] 5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 14 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1] 12.5 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3)  LC50 - Fish [1] 7.1 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [1] 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic) 0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish 0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1] 5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1] 0.0269 mg/l  LOEC (chronic) 441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'	EC50 - Crustacea [2]	1.71 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)  1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Coco-glucoside (110615-47-9)  LC50 - Fish [1]  2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1]  7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  14 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  14 mg/l Test organisms (species): Daphnia magna  EC50 - Algae [1]  2.5 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3)  LC50 - Fish [1]  7.1 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [1]  7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  7.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 - Test - Algae [1]  27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 - Test - Algae [2]  27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 - Test organisms (species): Daphnia magna Duration: '21 d'  NOEC (chronic)  0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1]  5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1]  0.0269 mg/l  LOEC (chronic)  441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)  314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)  314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)	EC50 72h - Algae [1]	31 mg/l Test organisms (species): Chlorella vulgaris
Coco-glucoside (110615-47-9)  LC50 - Fish [1] 2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  LC50 - Fish [2] 5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 14 mg/l Test organisms (species): Daphnia magna  EC50 - Test - Algae [1] 12.5 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3)  LC50 - Fish [1] 7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 - Test - Algae [1] 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 - Test - Algae [2] 27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic) 0.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish 0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1] 5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1] 0.0269 mg/l  LOEC (chronic) 441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'	EC50 96h - Algae [1]	870.085 mg/l Source: EPISUITE
LC50 - Fish [1] 2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) LC50 - Fish [2] 5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 14 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 12.5 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3) LC50 - Fish [1] 7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [1] 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [2] 27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic) 0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish 0.14 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic (7647-14-5)  LC50 - Fish [1] 5840 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC (chronic) 441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'	NOEC (chronic)	1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
LC50 - Fish [2]  5.9 mg/l Test organisms (species): Danhio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1]  7 mg/l Test organisms (species): Danhia magna  EC50 - Crustacea [2]  14 mg/l Test organisms (species): Danhia magna  EC50 - Crustacea [2]  12.5 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3)  LC50 - Fish [1]  7.1 mg/l Test organisms (species): Danhio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1]  7.2 mg/l Test organisms (species): Danhia magna  EC50 - Crustacea [2]  7.4 mg/l Test organisms (species): Danhia magna  EC50 - Crustacea [2]  7.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [1]  27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic)  0.27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic)  0.27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic)  0.27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Salmo gairdneri) Duration: '21 d'  NOEC chronic fish  0.14 mg/l Test organisms (species): Dephnia magna Duration: '21 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1]  5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1]  0.0269 mg/l  LOEC (chronic)  441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)  314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  Lauramine Oxide (1643-20-5)	Coco-glucoside (110615-47-9)	
EC50 - Crustacea [1] 7 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 14 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] 12.5 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3) LC50 - Fish [1] 7.1 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [1] 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic) 0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC chronic fish 0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5) LC50 - Fish [1] 5840 mg/l Test organisms (species): Lepomis macrochirus EC50 72h - Algae [1] 0.0269 mg/l LOEC (chronic) 411 mg/l Test organisms (species): Daphnia pulex Duration: '21 d' NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d' NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'	LC50 - Fish [1]	2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [2] 14 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1] 12.5 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3)  LC50 - Fish [1] 7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1] 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [2] 27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic) 0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish 0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1] 5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1] 0.0269 mg/l  LOEC (chronic) 441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'	LC50 - Fish [2]	5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1] 12.5 mg/l Source: ECHA  Sodium laureth sulfate (68891-38-3)  LC50 - Fish [1] 7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1] 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [2] 27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic) 0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish 0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1] 5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1] 0.0269 mg/l  LOEC (chronic) 441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'	EC50 - Crustacea [1]	7 mg/l Test organisms (species): Daphnia magna
Sodium laureth sulfate (68891-38-3)  LC50 - Fish [1]  7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1]  7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  7.4 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1]  27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [2]  27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic)  0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish  0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1]  5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1]  0.0269 mg/l  LOEC (chronic)  441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)  314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)  Augn/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)	EC50 - Crustacea [2]	14 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [1]  7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  EC50 - Crustacea [1]  7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2]  7.4 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1]  27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [2]  27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic)  0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish  0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1]  5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1]  0.0269 mg/l  LOEC (chronic)  441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)  314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)	EC50 72h - Algae [1]	12.5 mg/l Source: ECHA
EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna  EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1] 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [2] 27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic) 0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish 0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1] 5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1] 0.0269 mg/l  LOEC (chronic) 441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  Lauramine Oxide (1643-20-5)	Sodium laureth sulfate (68891-38-3)	
EC50 - Crustacea [2] 7.4 mg/l Test organisms (species): Daphnia magna  EC50 72h - Algae [1] 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [2] 27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic) 0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish 0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1] 5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1] 0.0269 mg/l  LOEC (chronic) 441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  Lauramine Oxide (1643-20-5)	LC50 - Fish [1]	7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]  27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  EC50 72h - Algae [2]  27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic)  0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish  0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1]  5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1]  0.0269 mg/l  LOEC (chronic)  441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)  314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  Lauramine Oxide (1643-20-5)	EC50 - Crustacea [1]	7.2 mg/l Test organisms (species): Daphnia magna
Scenedesmus subspicatus)  EC50 72h - Algae [2] 27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  NOEC (chronic) 0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish 0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1] 5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1] 0.0269 mg/l  LOEC (chronic) 441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  Lauramine Oxide (1643-20-5)	EC50 - Crustacea [2]	7.4 mg/l Test organisms (species): Daphnia magna
Scenedesmus subspicatus)  NOEC (chronic)  0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  NOEC chronic fish  0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1]  5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1]  0.0269 mg/l  LOEC (chronic)  441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)  314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  Lauramine Oxide (1643-20-5)	EC50 72h - Algae [1]	
NOEC chronic fish  0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'  Sodium chloride (7647-14-5)  LC50 - Fish [1]  5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1]  0.0269 mg/l  LOEC (chronic)  441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)  314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  Lauramine Oxide (1643-20-5)	EC50 72h - Algae [2]	
Sodium chloride (7647-14-5)  LC50 - Fish [1] 5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1] 0.0269 mg/l  LOEC (chronic) 441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  Lauramine Oxide (1643-20-5)	NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
LC50 - Fish [1] 5840 mg/l Test organisms (species): Lepomis macrochirus  EC50 72h - Algae [1] 0.0269 mg/l  LOEC (chronic) 441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic) 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  Lauramine Oxide (1643-20-5)	NOEC chronic fish	
EC50 72h - Algae [1]  LOEC (chronic)  441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)  314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  Lauramine Oxide (1643-20-5)	Sodium chloride (7647-14-5)	
LOEC (chronic)  441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  NOEC (chronic)  314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  Lauramine Oxide (1643-20-5)	LC50 - Fish [1]	5840 mg/l Test organisms (species): Lepomis macrochirus
NOEC (chronic)  314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'  Lauramine Oxide (1643-20-5)	EC50 72h - Algae [1]	0.0269 mg/l
Lauramine Oxide (1643-20-5)	LOEC (chronic)	441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'
	NOEC (chronic)	314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'
1 C50 - Figh [1]	Lauramine Oxide (1643-20-5)	
104 mg/r rest organisms (species). Danio ferio (previous name, practiyuanio ferio)	LC50 - Fish [1]	134 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2] 31.8 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	LC50 - Fish [2]	31.8 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lauramine Oxide (1643-20-5)	
EC50 - Crustacea [1]	3.9 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	3.1 mg/l Test organisms (species): Daphnia magna
ErC50 algae	0.1 mg/l
NOEC (chronic)	0.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.42 mg/l Test organisms (species): Pimephales promelas Duration: '302 d'
NOEC chronic algae	0.004 mg/l
Butanedione (431-03-8)	
LC50 - Fish [1]	88015.43 mg/l Source: Ecological Structure Activity Relationships
EC50 96h - Algae [1]	38624.133 mg/l Source: Ecological Structure Activity Relationships
Trilon(R) M (164462-16-2)	
LC50 - Fish [1]	> 110 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	> 0.63 mg/l Source: ECHA
LOEC (chronic)	> 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'

# 12.2. Persistence and degradability

POLARIS - Active Foam		
Persistence and degradability	Not rapidly degradable	
Citric acid (77-92-9)		
Persistence and degradability	Not rapidly degradable	
Sodium hydroxide (1310-73-2)		
Persistence and degradability	Not rapidly degradable	
Sodium lauriminodipropionate (14960-06-6)		
Persistence and degradability	Not rapidly degradable	
Coco-glucoside (110615-47-9)	Coco-glucoside (110615-47-9)	
Persistence and degradability	Not rapidly degradable	
Sodium laureth sulfate (68891-38-3)	Sodium laureth sulfate (68891-38-3)	
Persistence and degradability	Not rapidly degradable	
Sodium chloride (7647-14-5)		
Persistence and degradability	Not rapidly degradable	
Lauramine Oxide (1643-20-5)		
Persistence and degradability	Not rapidly degradable	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Butanedione (431-03-8)	
Persistence and degradability  Not rapidly degradable	
Trilon(R) M (164462-16-2)	
Persistence and degradability  Not rapidly degradable	

#### 12.3. Bioaccumulative potential

Citric acid (77-92-9)		
Partition coefficient n-octanol/water (Log Pow)	-1.7 Source: ICSC	
Sodium hydroxide (1310-73-2)		
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC	
Sodium chloride (7647-14-5)		
Partition coefficient n-octanol/water (Log Pow)	-0.46 Source: Quantitative Structure Activity Relation	
Lauramine Oxide (1643-20-5)		
Partition coefficient n-octanol/water (Log Pow)	4.67	
Butanedione (431-03-8)		
Partition coefficient n-octanol/water (Log Pow)	-1.34	
Trilon(R) M (164462-16-2)		
Partition coefficient n-octanol/water (Log Pow)	-4 Source: ECHA	

## 12.4. Mobility in soil

Sodium lauriminodipropionate (14960-06-6)	
Mobility in soil	0.08707 Source: EPISUITE
Butanedione (431-03-8)	
Mobility in soil 4.5 Source: HSDB	

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

10/22/2024 (Revision date) EN (English) 11/15

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated for transport				
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group	14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

## 14.6. Special precautions for user

#### **Overland transport**

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### **Inland waterway transport**

Not regulated

#### Rail transport

Not regulated

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

# **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	POLARIS - Active Foam; Sodium hydroxide; Sodium lauriminodipropionate; Coco-glucoside; Sodium laureth sulfate; Lauramine Oxide	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	POLARIS - Active Foam ; Sodium hydroxide ; Sodium laureth sulfate ; Lauramine Oxide	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.