

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 2/27/2023 Revision date: 1/8/2024 Supersedes version of: 11/28/2023 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Modesta MC-01B - Marine Coating

Product code : 01296
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Marine coatings

1.3. Details of the supplier of the safety data sheet

ManufacturerDistributorModesta Japan LtdFB Auto Detailing1580-1 TahishimomachiUnit 1 Block D

JP 761-8075 Takamatsushi, Kagawaken Liosban Industrial Estate
Japan Liosban Industrial Estate
IE H91NRK7 Tuam Rd Galway

<u>www.modesta.co</u> T +353 873272729

autodetailing.fb@gmail.com, https://www.fbdetailing.ie/

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2

Serious eye damage/eye irritation, Category 2

Specific target organ toxicity – Single exposure, Category 3,

H336

Narcosis

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause drowsiness or dizziness. Causes serious eye irritation.

2.2. Label elements

Signal word (CLP)

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02 GHS07

: Danger

Contains : Isopropyl alcohol

1/8/2024 (Revision date) IE - en 1/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P261 - Avoid breathing vapours, mist.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, eye protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P312 - Call doctor if you feel unwell.

P337+P313 - If eye irritation persists: Get medical advice/attention.
P370+P378 - In case of fire: Use alcohol resistant foam to extinguish.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isopropyl alcohol substance with national workplace exposure limit(s) (DE, GB, PL, SI, SK)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0	30 – 50	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336
Dibutyltin oxide	CAS-No.: 818-08-6 EC-No.: 212-449-1 EC Index-No.: 050-035-00-0	10 – 30	Muta. 2, H341 Repr. 1B, H360FD Acute Tox. 3 (Oral), H301 STOT RE 1, H372 Skin Irrit. 2, H315 Eye Dam. 1, H318
2-butoxyethanol; Butyl cellosolve substance with national workplace exposure limit(s) (DE, GB, NL, PL, SI, SK); substance with a Community workplace exposure limit	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0	1 – 5	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Xylene substance with national workplace exposure limit(s) (DE, GB, NL, PL, SI, SK)	CAS-No.: 1330-20-7 EC-No.: 215-535-7 EC Index-No.: 601-022-00-9	1 – 5	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethylbenzene substance with national workplace exposure limit(s) (DE, GB, NL, PL, SI, SK)	CAS-No.: 100-41-4 EC-No.: 202-849-4 EC Index-No.: 601-023-00-4	1 – 5	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

1/8/2024 (Revision date) IE - en 3/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

Methods for cleaning up

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective

equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

roduct.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Protect from sunlight. Store in a well-ventilated place. Store in a well-ventilated place. Keep

container tightly closed. Store in a well-ventilated place. Keep cool. Keep container tightly

closed. Store locked up.

Incompatible products : Strong bases. Strong acids. Oxidizing agent.

Storage temperature : 22 °C

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

1/8/2024 (Revision date) IE - en 4/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):









Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses		With side shields	EN 166

Skin protection

Skin and body protection:

Wear suitable protective clothing

Skin and body protection	
Туре	Standard
	EN ISO 6529, EN ISO 20345

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Chloroprene rubber (CR)	6 (> 480 minutes)	0,4-0,7		EN 374-2, EN ISO 374, EN ISO 374-1

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection				
Device	Filter type	Condition	Standard	
Air-Purifying Respirator (APR), disposable		Short term exposure		

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Not available
Odour threshold : Not available
Melting point : Not available
Freezing point : Not available
Boiling point : 165 °C

Flammability : Highly flammable liquid and vapour.

Lower explosion limit : Not available
Upper explosion limit : Not available
Flash point : 20.6 °C
Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available
Viscosity, kinematic : Not available

Solubility : Not miscible. Soluble in organic solvents.

Partition coefficient n-octanol/water (Log Kow)

Vapour pressure

Vapour pressure at 50°C

Density

Relative density

Solution (Log Kow)

Not available

Not available

Not available

Relative vapour density at 20°C : 0.8

Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour. The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

1/8/2024 (Revision date) IE - en 6/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 oral rat	Acute toxicity (inhalation) :	Not classified
LD50 oral	Isopropyl alcohol (67-63-0)	
1.050 dermal rabbit	LD50 oral rat	5840 mg/l Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
2-butoxyethanol; Butyl cellosolve (111-76-2) LD50 oral rat LD50 oral rat LD50 oral rat LD50 oral rat LD50 dermal pick (Vapours) LD50 dermal rat LD50 der	LD50 oral	4384 mg/kg
2-butoxyethanol; Butyl cellosolve (111-76-2) LD50 oral rat	LD50 dermal rabbit	16400 mg/kg Source: ECHA
1746 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% Ct.: 1322 - 2301 LD50 oral 1414 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% Ct.: 1020 - 1961 LD50 dermal rat 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% Ct.: 1020 - 1961 LD50 dermal 220 mg/kg LD50 inhalation - Rat (Vapours) 203 mg/l/4h Xylene (1330-20-7) LD50 oral 3523 mg/kg Source: ECHA LD50 dermal rabbit 12126 mg/kg bodyweight Animal: rabbit, Animal sex: male LD50 dermal 1700 mg/kg LC50 inhalation - Rat (Vapours) 27.57 mg/l/4h Ethylbenzene (100-41-4) LD50 oral rat 3500 mg/kg Source: ECHA, HSDB LD50 dermal rabbit 15400 mg/kg Source: ECHA, ChemiDPLUS Dibutyltin oxide (818-08-6) LD50 oral rat 5000 mg/kg Source: ECHA, ChemiDPLUS Dibutyltin oxide (818-08-6) LD50 oral rat 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 oral 172 mg/kg LD50 dermal rat 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 dermal 2500 mg/kg LD50 dermal rat 2000 mg/kg LD50 dermal 2500 mg/kg LD50 dermal rat 2000 mg/kg LD50 dermal 2500 mg/kg LD50 dermal rat 2000 mg/kg LD50 dermal 2500 mg/k	LD50 dermal	4000 mg/kg
(Acute Oral Toxicity), 95% CL: 1322 - 2301 LD50 oral	2-butoxyethanol; Butyl cellosolve (111-76-2)	
Toxicity), 95% CL: 1020 - 1961 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal 220 mg/kg LC50 Inhalation - Rat (Vapours) 220 mg/kg LD50 oral rat 3523 mg/kg Source: ECHA LD50 oral 3600 mg/kg LD50 dermal rabbit 12126 mg/kg bodyweight Animal: rabbit, Animal sex: male LD50 dermal rabbit LD50 dermal LD50 dermal LD50 oral rat 3500 mg/kg LC50 Inhalation - Rat (Vapours) 27.57 mg/l/4h Ethylbenzene (100-41-4) LD50 oral rat 3500 mg/kg Source: ECHA, HSDB LD50 dermal rabbit 15400 mg/kg Source: ECHA, ChemIDPLUS Dibutyltin oxide (818-08-6) LD50 oral rat 500 mg/kg Source: ECHA, ChemIDPLUS Dibutyltin oxide (818-08-6) LD50 oral rat 500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: DECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 dermal rat 500 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal LD50 dermal LD50 dermal LD50 dermal LD50 dermal CS00 mg/kg Source: ECHA, Unimal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal LD50 dermal LD50 dermal LD50 dermal LD50 dermal CS00 mg/kg Source: ECHA, HSDB LD50 mg/kg LD50 mg/kg LD50 mg/kg LD50 dermal rat Source: ECHA, HSDB LD50 dermal rat Source: ECHA, HSDB LD50 dermal rat Source: ECHA, HSDB LD50 mg/kg LD50 mg/kg LD50 dermal rat Source: ECHA, HSDB LD50 mg/kg LD50 mg/kg LD50 dermal rat Source: ECHA, HSDB LD50 mg/kg LD5	LD50 oral rat	
LD50 dermal LD50 dermal LD50 dermal LD50 dermal LD50 oral rat LD50 oral LD50 oral LD50 dermal LD50 dermal LD50 dermal rabbit LD50 dermal rabbit LD50 oral rat LD50 dermal LD50 dermal LD50 dermal LD50 dermal rabbit LD50 oral rat LD50 oral rat LD50 oral rat LD50 oral rat LD50 dermal rabbit LD50 dermal rabbit LD50 dermal rabbit LD50 oral rat LD50 dermal rabbit LD50 dermal rat LD50 dermal CD50 dermal rat LD50 dermal rat LD50 dermal	LD50 oral	
LC50 Inhalation - Rat (Vapours) Xylene (1330-20-7) LD50 oral rat D50 dermal rabbit ration - Rat (Vapours) Z7.57 mg/l/4h Ethylbenzene (100-41-4) LD50 oral rat D50 o	LD50 dermal rat	
Xylene (1330-20-7) LD50 oral tat LD50 oral 3600 mg/kg LD50 dermal rabbit 12126 mg/kg bodyweight Animal: rabbit, Animal sex: male LD50 dermal 27.57 mg/l/4h Ethylbenzene (100-41-4) LD50 oral rat 3500 mg/kg Source: ECHA, HSDB LD50 dermal rabbit 15400 mg/kg Source: ECHA, HSDB LD50 oral rat 3500 mg/kg Source: ECHA, ChemiDPLUS Dibutylitin oxide (818-08-6) LD50 oral rat 500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 oral 172 mg/kg LD50 dermal rat 2500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal 2500 mg/kg LC50 Inhalation - Rat 2500 mg/kg LC50 Inhalation - Rat 2500 mg/kg Serious eye damage/irritation Causes serious eye irritation. Serious eye damage/irritation Serious eye irritation. Serious eye damage/irritation Serious eye irritation. Serious eyer damage/irritation Serious eyer irritation. Serious eyer damage/i	LD50 dermal	220 mg/kg
LD50 oral rat LD50 oral 3523 mg/kg Source: ECHA 3600 mg/kg LD50 dermal rabbit 12126 mg/kg bodyweight Animal: rabbit, Animal sex: male LD50 dermal LD50 dermal LD50 dermal LD50 oral rat LD50 oral rat Source: ECHA, HSDB LD50 oral rat Source: ECHA, HSDB LD50 oral rat Source: ECHA, ChemIDPLUS Dibutyltin oxide (818-08-6) LD50 oral rat (Acute Oral toxicity - Acute Toxic Class Method) LD50 oral 172 mg/kg LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal LD50 dermal 2500 mg/kg 2500 mg/kg CC50 Inhalation - Rat > 2000 mg/kg Serious eye damage/irritation Serious eye damage/irritat	LC50 Inhalation - Rat (Vapours)	2.03 mg/l/4h
LD50 oral 3600 mg/kg LD50 dermal rabbit 12126 mg/kg bodyweight Animal: rabbit, Animal sex: male LD50 dermal 1700 mg/kg LC50 Inhalation - Rat (Vapours) 27.57 mg/l/4h Ethylbenzene (100-41-4) LD50 oral rat 3500 mg/kg Source: ECHA, HSDB LD50 dermal rabbit 15400 mg/kg Source: ECHA, ChemIDPLUS Dibutyltin oxide (818-08-6) LD50 oral rat 500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 oral rat 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal rat 2500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal 2500 mg/kg Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye damage/irritation : Not classified Serious eye damage/irritation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classified Serious eye irritation. Respiratory or skin sensitisation : Not classifie	Xylene (1330-20-7)	
12126 mg/kg bodyweight Animal: rabbit, Animal sex: male 1700 mg/kg LC50 Inhalation - Rat (Vapours) 27.57 mg/l/4h Ethylbenzene (100-41-4) LD50 oral rat 3500 mg/kg Source: ECHA, HSDB LD50 dermal rabbit 15400 mg/kg Source: ECHA, ChemIDPLUS Dibutyltin oxide (818-08-6) LD50 oral rat 500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 oral 172 mg/kg > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal LC50 Inhalation - Rat > 2000 mg/kg Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Not classified Serious eye damage/irritation Respiratory or skin sensitisation Not classified Serious eye irritation. Respiratory or skin sensitisation Not classified Serious eye irritation. Respiratory or skin sensitisation Not classified Serious eye irritation. Respiratory or skin sensitisation Not classified Serious eye irritation. Respiratory or skin sensitisation Not classified Serious eye irritation. Respiratory or skin sensitisation Not classified Serious eye irritation. Respiratory or skin sensitisation Not classified Serious eye irritation. Respiratory or skin sensitisation Not classified Serious eye irritation. Respiratory or skin sensitisation Not classified Serious eye irritation. Respiratory or skin sensitisation Not classified Serious eye irritation. Respiratory or skin sensitisation Not classified Serious eye irritation. Respiratory or skin sensitisation Not classified Serious eye irritation. Not classified	LD50 oral rat	3523 mg/kg Source: ECHA
LD50 dermal LC50 Inhalation - Rat (Vapours) Ethylbenzene (100-41-4) LD50 oral rat 3500 mg/kg Source: ECHA, HSDB LD50 dermal rabbit 15400 mg/kg Source: ECHA, ChemIDPLUS Dibutyltin oxide (818-08-6) LD50 oral rat 500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 oral 172 mg/kg LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal 2500 mg/kg LC50 Inhalation - Rat > 2000 mg/kg Skin corrosion/irritation Serious eye damage/irritation Serious eye irritation. Serious	LD50 oral	3600 mg/kg
Ethylbenzene (100-41-4) LD50 oral rat 3500 mg/kg Source: ECHA, HSDB LD50 dermal rabbit 15400 mg/kg Source: ECHA, ChemIDPLUS Dibutyltin oxide (818-08-6) LD50 oral rat 500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 oral 172 mg/kg LD50 dermal rat 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal 2500 mg/kg LC50 Inhalation - Rat 2000 mg/kg Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Serior cell mutagenicity : Not classified Serior cell mutagenicity : Not classified Seprem cell mutagenicity : Not classified Sepropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)	LD50 dermal rabbit	12126 mg/kg bodyweight Animal: rabbit, Animal sex: male
Ethylbenzene (100-41-4) LD50 oral rat Dibutyltin oxide (818-08-6) LD50 oral rat Soon mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 oral 172 mg/kg LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal 2500 mg/kg LC50 Inhalation - Rat > 2000 mg/kg Skin corrosion/irritation Not classified Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Serm cell mutagenicity Not classified Serious eye damage/irritation Not classified Serious eye damagenicity Not classified Serious eye damagenicity Not classified Seropopyl alcohol (67-63-0) IARC group 3 - Not classifiable	LD50 dermal	1700 mg/kg
LD50 oral rat LD50 dermal rabbit 15400 mg/kg Source: ECHA, ChemIDPLUS Dibutyltin oxide (818-08-6) LD50 oral rat 500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 oral 172 mg/kg LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal 2500 mg/kg Skin corrosion/irritation Perious eye damage/irritation Respiratory or skin sensitisation Respiratory or skin sensitisation Germ cell mutagenicity Not classified Serious genicity Serious genicity Not classified Serious genicity Serious g	LC50 Inhalation - Rat (Vapours)	27.57 mg/l/4h
LD50 dermal rabbit Dibutyltin oxide (818-08-6) LD50 oral rat 500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 oral 172 mg/kg LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal 2500 mg/kg LC50 Inhalation - Rat > 2000 mg/kg Skin corrosion/irritation Serious eye damage/irritation Germ cell mutagenicity Not classified Germ cell mutagenicity Not classified Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)	Ethylbenzene (100-41-4)	
Dibutyltin oxide (818-08-6) LD50 oral rat 500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) LD50 oral 172 mg/kg LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal 2500 mg/kg LC50 Inhalation - Rat > 2000 mg/kg Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)	LD50 oral rat	3500 mg/kg Source: ECHA, HSDB
LD50 oral rat 500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) 172 mg/kg LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal 2500 mg/kg LC50 Inhalation - Rat > 2000 mg/kg Skin corrosion/irritation Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Respiratory or skin sensitisation Not classified Germ cell mutagenicity Not classified Sarrious ell mutagenicity Not classified Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)	LD50 dermal rabbit	15400 mg/kg Source: ECHA, ChemIDPLUS
(Acute Oral toxicity - Acute Toxic Class Method) LD50 oral LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal 2500 mg/kg LC50 Inhalation - Rat > 2000 mg/kg Skin corrosion/irritation Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Germ cell mutagenicity Not classified Carcinogenicity Not classified Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)	Dibutyltin oxide (818-08-6)	
LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal 2500 mg/kg LC50 Inhalation - Rat > 2000 mg/kg Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)	LD50 oral rat	
Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) LD50 dermal 2500 mg/kg LC50 Inhalation - Rat > 2000 mg/kg Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)	LD50 oral	172 mg/kg
LC50 Inhalation - Rat > 2000 mg/kg Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)	LD50 dermal rat	,
Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)	LD50 dermal	2500 mg/kg
Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)	LC50 Inhalation - Rat	> 2000 mg/kg
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)		
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)	Serious eye damage/irritation :	·
Carcinogenicity : Not classified Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)		
Isopropyl alcohol (67-63-0) IARC group 3 - Not classifiable 2-butoxyethanol; Butyl cellosolve (111-76-2)		
2-butoxyethanol; Butyl cellosolve (111-76-2)	Isopropyl alcohol (67-63-0)	
	IARC group	3 - Not classifiable
IARC group 3 - Not classifiable	2-butoxyethanol; Butyl cellosolve (111-76-2)	
	IARC group	3 - Not classifiable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Xylene (1330-20-7)	
IARC group	3 - Not classifiable
Ethylbenzene (100-41-4)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity :	Not classified
Dibutyltin oxide (818-08-6)	
NOAEL (animal/male, F0/P)	1.9 – 2.3 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)
NOAEL (animal/female, F0/P)	1.7 – 2.4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)
STOT-single exposure :	May cause drowsiness or dizziness.
Isopropyl alcohol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified
2-butoxyethanol; Butyl cellosolve (111-76-2)	
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Xylene (1330-20-7)	
LOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity)
Ethylbenzene (100-41-4)	
NOAEL (oral, rat, 90 days)	75 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
STOT-repeated exposure	May cause damage to organs (hearing organs) through prolonged or repeated exposure.
Dibutyltin oxide (818-08-6)	
STOT-repeated exposure	Causes damage to organs (immune system) through prolonged or repeated exposure.
Aspiration hazard :	Not classified
44.0.1.6. 41. 41. 1.	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

		OX		

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)		
Isopropyl alcohol (67-63-0)		
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas	
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	3025 mg/l	

IE - en 8/15 1/8/2024 (Revision date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

_C50 - Fish [1]	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo
	gairdneri)
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	911 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	1840 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d'
Xylene (1330-20-7)	
LC50 - Fish [1]	2.6 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 3.4 mg/l Test organisms (species): Ceriodaphnia dubia
ErC50 algae	0.799 mg/l
LOEC (chronic)	3.16 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	> 1.3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '56 d'
NOEC chronic crustacea	0.407 mg/l
Ethylbenzene (100-41-4)	
LC50 - Fish [1]	5.1 mg/l Test organisms (species): Menidia menidia
EC50 - Crustacea [1]	0.42 mg/l
EC50 72h - Algae [1]	4.9 mg/l Test organisms (species): Skeletonema costatum
EC50 72h - Algae [2]	5.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	7.7 mg/l Test organisms (species): Skeletonema costatum
EC50 96h - Algae [2]	3.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	1.7 mg/l Test organisms (species): Ceriodaphnia dubia Duration: '7 d'
NOEC (chronic)	0.96 mg/l Test organisms (species): Ceriodaphnia dubia Duration: '7 d'
NOEC chronic crustacea	0.956 mg/l
Dibutyltin oxide (818-08-6)	
LC50 - Fish [1]	3.1 mg/l Source: ECHA
EC50 - Crustacea [1]	2 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	≥ 1.6 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

Modesta MC-01B - Marine Coating	
Persistence and degradability Not rapidly degradable	
Isopropyl alcohol (67-63-0)	
Persistence and degradability Rapidly degradable	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-butoxyethanol; Butyl cellosolve (111-76-2)		
Persistence and degradability	Rapidly degradable	
Xylene (1330-20-7)		
Persistence and degradability	Not rapidly degradable	
Ethylbenzene (100-41-4)		
Persistence and degradability	Not rapidly degradable	
Dibutyltin oxide (818-08-6)		
Persistence and degradability	Not rapidly degradable	

12.3. Bioaccumulative potential

Isopropyl alcohol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05 Source: ICSC	
2-butoxyethanol; Butyl cellosolve (111-76-2)		
Partition coefficient n-octanol/water (Log Pow)	0.81 Source: ECHA	
Xylene (1330-20-7)		
Partition coefficient n-octanol/water (Log Pow)	3.15 Source: HSDB	
Ethylbenzene (100-41-4)		
Partition coefficient n-octanol/water (Log Pow)	3.15 Source: HSDB	
Dibutyltin oxide (818-08-6)		
Partition coefficient n-octanol/water (Log Pow)	5.33 Source: ECHA	

12.4. Mobility in soil

Xylene (1330-20-7)	
Mobility in soil	537 Source: ECHA

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Flammable vapours may accumulate in the container. Do not re-use empty containers.

1/8/2024 (Revision date) IE - en 10/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1263	UN 1263	UN 1263	UN 1263	UN 1263
14.2. UN proper shipping	g name			
PAINT	PAINT	PAINT	PAINT	PAINT
Fransport document descri	ption			
UN 1263 PAINT, 3, II, (D/E)	UN 1263 PAINT, 3, II	UN 1263 PAINT, 3, II	UN 1263 PAINT, 3, II	UN 1263 PAINT, 3, II
14.3. Transport hazard c	lass(es)			
3	3	3	3	3
3	3	3	3	3
14.4. Packing group	,			
II	II	II	II	II
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-E EmS-No. (Spillage): S-E	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

14.6. Special precautions for user

Overland transport

Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E2
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 33

Orange plates

33 1263

Tunnel restriction code (ADR) : D/E

Transport by sea

Special provisions (IMDG) : 163, 367
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP8, TP28

Stowage category (IMDG) : B

Properties and observations (IMDG) : Miscibility with water depends upon the composition.

MFAG-No : 127

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L

Special provisions (IATA) : A3, A72, A192

ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 163, 367, 640D, 650

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : F1

Special provisions (RID) : 163, 367, 640D, 650

Limited quantities (RID) : 5L Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4

Portable tank and bulk container special provisions : TP1, TP8, TP28

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Modesta MC-01B - Marine Coating ; Isopropyl alcohol ; Xylene ; Ethylbenzene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Modesta MC-01B - Marine Coating; Isopropyl alcohol; 2-butoxyethanol; Butyl cellosolve; Xylene; Ethylbenzene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
40.	Isopropyl alcohol ; Xylene ; Ethylbenzene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals): dibutyltin oxide (818-08-6)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Full text of H- and EUH-statements:		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 1	Flammable liquids, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Muta. 2	Germ cell mutagenicity, Category 2	
Repr. 1B	Reproductive toxicity, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	
H224	Extremely flammable liquid and vapour.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H336	May cause drowsiness or dizziness.	
H341	Suspected of causing genetic defects.	
H360FD	May damage fertility. May damage the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H373	May cause damage to organs through prolonged or repeated exposure.	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.